

## Day/Night Vandal Proof Camera NVC-VH300DN



### Features

- Mechanical IR cut filter
- IR operation capability
- Horizontal resolution: 570 TVL
- Min. Illumination: 0.01 lx/F=1.2
- Auto iris DC lens: f=4 ~ 9 mm
- IP 66
- Vandal proof housing
- Power supply: 12 VDC/24 VAC

| Specifications                | Description   |
|-------------------------------|---|
| Pick-up Element               | 1/3" SONY Super HAD CCD imager  |
| Horizontal Resolution         | 480 TVL - color mode, 570 TVL - B/W mode  |
| Min. Illumination             | 0.5 lx/F=1.2 - color mode, 0.01 lx/F=1.2 - B/W mode   |
| S/N Ratio                     | > 50 dB (AGC Off)   |
| Electronic Shutter            | Auto: 1/50 s ~ 1/10 000 s, manual   |
| Auto Gain Control (AGC)       | On  |
| White Balance                 | Yes   |
| Back Light Compensation (BLC) | Auto  |
| Synchronization               | Internal/line-lock with phase adjustment  |
| Day/Night Switching           | Auto/Manual (On/Off)  |
| Lens Type                     | Auto iris DC: f=4.0 ~ 9.0 mm  |
| Angle of View (H)             | 62° ~ 29°   |
| Flickerless function          | Yes   |
| Video Output                  | 1.0 Vp-p/75 Ohm (BNC)   |
| Enclosure                     | Vandal proof, powder coated aluminium, steel mounting bracket included, impact resistant lexan glass (2.5 mm thick) |
| Degree of Protection          | IP 66   |
| Power Supply                  | 12 VDC/24 VAC   |
| Power Consumption             | 3.5 W   |
| Operating Temperature         | -10°C ~ 50°C  |
| Dimensions (mm)               | 106 (W) x 94 (H) x 187 (L)  |
| Weight                        | 830 g   |